


**Third International Conference on
Analysis and Applied Mathematics
ICAAM 2016**

THE ABSTRACT BOOK



ICAAM 2016

THIRD INTERNATIONAL CONFERENCE ON ANALYSIS AND APPLIED MATHEMATICS
Institute of Mathematics and Mathematical Modelling

September 7-10, 2016, Almaty, Kazakhstan

07-10 September 2016

**Institute of Mathematics
and Mathematical Modelling
Almaty, Kazakhstan**

<i>Dosymkhan RAKHYMBEK, Marzhan ABDUALIYEVA, Nurlibai MADIRYAROV, Shadyar ALTYNBEKOV</i> Didactic bases of system formation of learners' methodological knowledge	195
<i>Beybitgul SHAYAKHMETOVA, Nurgul ORUMBAYEVA, Sholpan OMAROVA</i> Analysis of theoretical and methodological bases of teaching object-oriented programming languages in higher school	196
<i>Simon SEROVAJSKY</i> History of mathematics and its teaching in higher school	197
<i>Aigerim ZHANBOLOVA, Bogdat ZHANBUSINOVA, Gaukhar ISKAKOVA, Kelbet SHAUKENOVA, Beybitgul SHAYAKHMETOVA</i> Methodological questions of filling the virtual university program modules	197
4 OTHER TOPICS	
<i>Nursadyk AKANBAY</i> Furstenberg type theorem for a multiplicative product of Markov random matrices	199
<i>Nursadyk AKANBAY, Zoiya SULEYMEENOVA, Samal TAPEEVA</i> On asymptotic normality of solutions of the Cauchy problem of a parabolic equation with random right side	200
<i>Valentina ALEKHINA, Ilya STARODUMOV, Oleg STARODUMOV</i> Modeling of thorium transport by the water flow in the river Kechi-Kemin	201
<i>Bektur BAIZHANOV</i> TOne-types in ordered theories	202
<i>Cigdem GUNDUZ ARAS, Sadi BAYRAMOV</i> On the Tietze extension theorem in soft topological spaces	203
<i>Cigdem GUNDUZ ARAS</i> A study on intuitionistic fuzzy supra soft topological spaces	204
<i>Yu. FATEEV, D. DMITRIYEV, V. TYAPKIN, N. KREMEZ, V. SHAIDUROV</i> The probability distribution function for the sum of squares of independent random variables	205
<i>Assylbek ISSAKHOV</i> Hyperimmunity and A-computable universal numberings	206
<i>Seyit KERIMKHULLE</i> A system dynamics model to forecasting of the United States gross savings	207
<i>Ljubisa D.R. KOČINAC</i> Selections, games and Karamata theory	208
<i>Danir KULBAEV, A.Z. ABDENOV</i> Application of the theory of games for selection of effective defense	209
<i>Beibut KULPESHOV</i> Binarity for almost ω -categorical quite ω -minimal theories	210
<i>Ainur KUSSAINOVA, Tamara ZHUKABAYEVA, Abai JUSSUPOV, Kazat ISKAKOV, Zhanar ORALBEKOVA</i> Prospective study on the potential of big data in railways	211
<i>Bahtiyar Akber MAMEDOV, Elif SOMUNCU, Iskender M. ASKEROV</i> An Efficient Method for the Determination of Fourth Virial Coefficient with Lennard-Jones (12-6) Potential and Its Application	212
<i>K. MOTARJEM, M. MOHAMMADZADEH, A. ABYAR</i> Analyzing High-Dimensional Survival Data Using Random Forests	212
<i>Ilya STARODUMOV, Nikolai KROPOTIN</i> Features in simulation of crystal growth using the hyperbolic PFC equation and the dependence of the numerical solution on the parameters of the computational grid	213

<i>Iskander A. TAIMANOV</i> The Moutard transformation of two-dimensional Dirac operators and the Mobius geometry	216
<i>Marat TLEUBERGEOV, Gulmira VASSILINA</i> On stochastic stability of the integral manifold under permanently acting random perturbations	217
<i>Ualbai UMIRBAEV</i> Automorphisms of differential polynomial algebras	218
<i>Vassily VOINOV, Natalya PYA, Rashid MAKAROV, Yevgeniy VOINOV, Roza RAKHIMOVA</i> Combining goodness of fit tests for multivariate normality	219
<i>Aibat YESHKEYEV, Olga ULBRIKHT</i> The stability of forcing companion for center of Jonsson set's fragment	220
<i>Aibat YESHKEYEV, Nazgul SHAMATAYEVA</i> Categorical Jonsson fragments in existentially prime convex Jonsson theory	221
<i>Aibat YESHKEYEV, Maira KASSYMETOVA</i> Strongly minimal fragments in existentially prime convex Jonsson theory	222
5 MS1: MATHEMATICAL MODELLING	
<i>Kamil AIDA-ZADE, Anar RAHIMOV</i> Numerical solution to inverse source problems for hyperbolic equation	224
<i>Aidyn AITZHAN, Medet INKARBEKOV, Asetzhan KOLDAS, Aidarkhan KALTAYEV</i> Implementation of scalar filtered density function for large eddy simulation of turbulent reacting flow using a high-order discontinuous Galerkin method	225
<i>Lyudmila ALEXEYEVA, Makpal AHMETZHANOVA, Gulnar KAYSHIBAYEVA</i> Dynamics of the mass in the vicinity of the tunnel any profile of section under action of transport loadings	226
<i>F.A. ALIEV, N.S. HAJIEVA, N.A. SAFAROVA, M.F. RAJABOV</i> An asymptotical method for determining hydraulic resistance coefficient of gas-lift process	227
<i>Tulegen AMANBAEV, Gamidulla TILLEUOV, Bibigul TULEGENOVA</i> Modeling and calculation of flotation process in one-dimensional formulation	228
<i>Mersaid ARIPOV</i> The Fujita type a critical exponent for a double nonlinear parabolic equation and system	229
<i>Nurgali ASHIRBAYEV, Zhansaya ASHIRBAYEVA, Azimkhan ABZHAPBAROV, Manat SHOMANBAYEVA</i> The features of a non-stationary state of stress in the elastic multisupport construction	230
<i>Nurgali ASHIRBAYEV, Zhansaya ASHIRBAYEVA, Turlybek SULTANBEK, Raina BEKMOLDAYEVA</i> Modeling and solving the two-dimensional non-stationary problem in an elastic body with a rectangular hole	231
<i>Galitdin B. BAKANOV</i> On the stability estimation of differential-difference analogue of the integral geometry problem with a weight function	232
<i>Arzu ERDEM COSKUN, Cigdem GUNDUZ ARAS, Ayse SONMEZ, Huseyin CAKALLI</i> Soft matrices on soft multisets in an optimal decision process	233

The probability distribution function for the sum of squares of independent random variables

Yu. FATEEV¹, D. DMITRIEV¹, V. TYAPKIN¹, N. KREMEZ¹,
V. SHAIDUROV²

¹ Siberian Federal University, Krasnoyarsk, Russia
E-mail: fateev.gury@inbox.ru

² Institute of Computational Modelling, Russian Academy of Sciences,
Krasnoyarsk, Russia
E-mail: shaidurov04@mail.ru

Abstract: In the paper, the probability distribution function is derived for the sum of squares of random variables for nonzero expectations. This distribution function enables one to develop an efficient one-step algorithm for phase ambiguity resolution when determining the spatial orientation from signals of satellite radio-navigation systems. Threshold values for rejecting false solutions and statistical properties of the algorithm are obtained.

Keywords: probability distribution functions normal distribution, variance, squared standard deviation

2010 Mathematics Subject Classification: 60A05, 60C05

References:

- [1] Yu. Fateev, D. Dmitriev, V. Tyapkin, E. Garin, and V. Shaidurov. *AIP Conference Proceedings*. **1611**, 12–14 (2014).
- [2] G. Giorgi, P.J.G. Teunissen, S. Verhagen, P.J. Buist. Improving the GNSS Ambiguity Success Rate with the Multivariate Constrained LAMBDA Method, in *Geodesy for Planet Earth*. International Association of Geodesy Symposium. **136**, 941–948 (2012).
- [3] P. Buist. "The baseline constrained LAMBDA method for single epoch, single frequency attitude determination applications", in *Proceedings of the 20th International Technical Meeting of the Satellite Division, Institute of Navigation*, **3**, 2962–2973 (2007).
- [4] Yu. Fateev, A. Kurnosov. Ionosphere parameters definition. *Transactions of International Siberian Conference on Control and Communications, SIBCON 2013*. Proceedings. doi: 10.1109/SIBCON.2013.6693622.
- [5] A. Borika, G. Even-Tzur. *Survey Review*. **46**, 335, 122–131 (2014).
- [6] V.I. Tikhonov. *Statistical radiotechnics*, Moscow: Soviet Radio, 1966 (in Russian).
- [7] B.R. Levin. *Theoretical Foundations of Statistical Radio Engineering*, Moscow: Soviet Radio, 1974 (in Russian).
- [8] Yu. Fateev, D. Dmitriev, V. Tyapkin, I. Ishchuk, and E. Kabulova. *ARPN Journal of Engineering and Applied Sciences*. **10**, 8264–8270 (2015).

Hyperimmunity and A-computable universal numberings

Assylbek ISSAKHOV

Department of Mechanics and Mathematics, Al-Farabi Kazakh National
University, Almaty, Kazakhstan
E-mail: asylissakhov@mail.ru

Abstract: Whether there exists a computable universal numbering for a computable family is the key question in theory of numberings. In a very general setting, this problem was explored in [1]. For sets A that are Turing jumps of the empty set, the problem was treated in [2] and other papers.

It is well known that, in the classical case, every finite family of c.e. sets has a universal (principal) computable numbering.

S.A. Badaev and S.S. Goncharov have showed that for every set A such that $\emptyset' \leq_T A$, a finite family S of A-c.e. sets has an A-computable universal numbering if and only if S contains the least set under inclusion. But also they have showed that for an infinite family of A-c.e. sets if $\emptyset' \leq_T A$ then the presence of the least set under inclusion is neither necessary nor sufficient to have an A-computable universal numbering, [3].

We considered a family F of total functions, computable relative to oracle A . Taking into the account an infinite set A is hyperimmune iff no recursive function majorizes A , [4], we have showed that if A is a hyperimmune set and if A-computable (finite or infinite) family F of total functions contains at least two elements, then F has no universal A-computable numbering. However, if Turing degree of a set A is hyperimmune-free then every A-computable finite family of total functions has A-computable universal numbering.

Keywords: universal numbering, hyperimmune set, hyperimmune-free degree

2010 Mathematics Subject Classification: 03D45, 68Q15

References:

- [1] Ershov Yu.L., "Theory of numberings", *Handbook of Computability Theory*. - North-Holland; Amsterdam: Stud. Log. Found. Math., Vol.140, pp. 473–503, 1999.
- [2] Badaev S.A., Goncharov S.S., Sorbi A., "Completeness and universality of arithmetical numberings", *Computability and Models*, S.B. Cooper and S.S. Goncharov (eds.), - New York: Kluwer Academic/Plenum Publishers, pp. 11–44, 2003.
- [3] Badaev S.A., Goncharov S.S., "Generalized computable universal numberings", *Algebra and logic*, Vol.53, No.5, pp. 355–364, 2014.
- [4] Miller W., Martin D.A., "The degree of hyperimmune sets", *Z. Math. Logik Grundlag. Math.*, Vol.14, pp. 159–166, 1968.