



EDITORIAL BOARD

Editor-in-Chief: G.M. Mutanov

Yu.I. Shokin, B.T. Zhumagulov, T.S. Ramazanov,M.A. Bektemesov, M.N. Kalimoldaev, A.M. Fedotov,G.S. Khakimzyanov, D.Zh. Ahmed-Zaki, A.B. Kydyrbekuly,D.V. Esipov, G.M. Dairbayeva, E.I. Imangaliev

Abstracts of the International Conference "Computational and Informational Technologies in Science, Engineering and Education" (September 24-27, 2015). – Almaty: Қазақ университеті, 2015. – 296 р. ISBN 978-601-04-1389-4

The book contains abstracts of the participants of the International Conference "Computational and Informational Technologies in Science, Engineering and Education". The proceeding of the Conference will be beneficial for specialists in the field of Mathematics and its applications, as well as for students, undergraduates, doctoral students majoring Computational and Informational Technologies.

ISBN 978-601-04-1389-4

©al-Farabi KazNU, 2015

International Scientif tion Technologies in So tradition and has been Historically, the confe and Kazakh scientists a achievements in the fiel Later it expanded th leading scientists from The purpose of the c advances among the pa young scientists and a interaction of the leadi the CITech formed a w currently conducting se In different years CI. (2006) and Ust-Kamen

(2006) and Ust-Kamen the Novosibirsk Scient Yu., Monakhov N., Zl role in the formation of Unfortunately, some of their contribution to so our hearts.

The proceeding of th Mathematics and its ap students majoring Con

in e-learning B.K. Shayakhmetova, S.E. Omarova, G.T. Omarov, N.T. Orumbaeva, B.K. Shayakhmetova, S.E. Omarova, G.T. Omarov, N.T. Orumbaeva, Structuralization of pedagogical categories "knowledge" in the process of	
L.N. Skopin, An approach to teaching program of the sectoral formational U. Tukeyev, Zh. Zhumanov, D. Rakhimova, A. Kartbayev, Combinational circuits model of Kazakh and Russian languages morphology 2 B.A. Urmashev, A.Yu. Pyrkova, M.E. Mansurova, E.P. Makashev., A.Zh. Burlibayev, M.S. Sarsembayev, Database design for the sectoral frame of Burlibayev, M.S. Sarsembayev, Database design for the sectoral frame of IT qualifications within TEMPUS project "QUADRIGA"	
текстов В.Г. Казаков, Ю.А. Щеглов, В.В. Казаков, И.В. Носков, ML-Studio -	
Section 5. TECHNOLOGICAL PROCESS AUTOMATION AND CONTROL	
F. Abdoldina, G. Umirova, Automation of data geodynamic monitoring o an oil and gas field	
 D. Akhmed-Zaki, B. Matkerim, M. Mansurova, E. Dadykina, An approact to the development of distributed applications for oil extraction problems A.A.Bedelbaev, Computer mathematical and biochemical modeling and simulation of the life processes in human kidneys A. Davydov, A. Larionov, I. Terekhin, Synthesis of plans in multi-agen system using the method of positively constructed formulas 	
D. Danijel, S. Caslav, A. Danijela, Z. Srboljub, D. Ivana, Level crossin rate of dual κ - μ random composite process in the presence of Rician distributed interference	

and the program construction: development of the program selection
 take into account the resource constraints, and mapping the sketch, which does not puter. We show the advantages of this approach for the development of a real constraints, and mapping the sketch to a real constraint of the program selection. The approach development of this is approach development of the set of the states.
 I Skopin, I.N. Challenge Tasks for the Study of General Methods of Computer Science and programming. Bulletin of the Russian Friendship University. Series: Education Information (in Russian).

► Ualsher Tukeyev - al-Farabi Kazakh National University, Almaty, Kazakh National University, Almaty, Kazakh National University, Almaty, Kazakh Stan, email: z.zhake@gmail.com, Diana di.diva@mail.ru, and Amandyk Kartbayev al-Farabi Kazakh National University, Almaty, Kazakhstan, email: a.kartbayev@gmail.com

Competition concarts model of Kazakh and D

ianguages morpholog

The problem of constructing a finite transducer with one state for the twolevel morphology of inflectional languages, namely, the direct transformation of word endings into grammatical characteristics is investigated. This problem is studied on the base of Kazakh and Russian languages, which are inflectional languages. For solution of this problem a trivial Mealy automaton with one state (combinational circuit) and a multi-valued mapping is used.

The question of morphological analysis is important in natural language proressing. Determining of the base finite state approach in morphological analysis is a two-level morphology concept proposed by Koskenniemi (1983), implemented through the use of finite state transducers (FST). In this paper we consider the possibility of using combinational circuits for two-level morphology of inflectional languages. Combinational circuit is a trivial Mealy FST, namely, FST with one state.

 $y(t) = f_y(x(t)),$

 $e^{re} x(t)$ – input of the machine, y(t) – output of the machine, t – current uncy the output function of the machine. The advantage of combinational circuit is high speed. Essentially, combinational circuit is a mapping of x(t) onto y(t). The set of endings of Kazakh language is necessary for the construction of

valued mappings:

 $A_s \mapsto Y_s$ (for source language),

 $T_t \mapsto Z_t$ (for target language),

source language endings,

admatical characteristics of v

Section 4

Y₄ - grammatical characteristics of words of target language,

 Z_t - the endings of target language.

The steps of machine translation, using combinational circuits in scheme of translation are described below: 1) Input of this scheme is a sentence of source natural language. 2) Marking out words in the sentence. 3) Finding part of speech characteristic for words. 4) Split words into stem and ending. 5) Morphological analysis of words with combinational circuits: "ending" - "grammatical characteristics". 6) Translation of the stem from the source language into the target language. 7) Transfer grammatical characteristics of a source language word into grammatical characteristics of a target language word. 8) Morphological generation of endings for target language words from grammatical characteristics of source language words using combinational circuits. 9) Compounding of word stems of the target language with the endings. 10) Implementation of structural transfers from the source language sentence to the target language sentence. Output of this scheme is a sentence of target natural language.

The mappings of combinational circuits are in the steps 5 and 8 for the Kazakh and Russian languages pair. These mappings allow getting the corresponding word ending in the target language for each word in the source language. Joining the stem and the ending in the target language produces the required output word. After that, phrases and sentences of target natural language are produced by joining words into a sequence.

We study the problem of completeness of the finite transducer's input for the analyzed languages. Determination of transducer input's completeness for morphological analysis gives a guarantee that all the words of the analyzed language will be accepted. For agglutinative languages the problem of determining the completeness of the set of possible endings is a complex issue. In this article, we define the completeness of a set of endings in Kazakh language. The proposed technology is implemented for the Russian-Kazakh machine translation, translation quality assessment performed by the method of BLEU.

242