

10<sup>th</sup> International Conference of Polish Society for Crystal Growth

## Abstract Book

SESSION-15 NOVEL MATERIALS on OCTOBER 21, 2016 (Friday)	93
IV-VI SEMICONDUCTORS AS TOPOLOGICAL AND THERMOELECTRIC MATERIALS Tomasz Story	94
THREE-DIMENSIONAL TOPOLOGICAL INSULATORS <u>Agnieszka Wołoś</u> , Aneta Drabińska, Maria Kamińska, Stanisława G. Strzelecka, Andrzej Hruk Andrzej Materna, Mirosław Piersa, Jolanta Borysiuk, Kamil Sobczak, Marcin Kończykowski	oan, <b>95</b>
GROWTH OF THE COMPLEX BORATES Y <sub>x</sub> R <sub>y</sub> Sc <sub>2</sub> +z(BO <sub>3</sub> ) <sub>4</sub> (R= Nd, Pr, x+y+z=2) WITH HUN LIKE STRUCTURE <u>Alexander Kokh</u> , Nadezhda Kononova, Vyacheslav Shevchenko, Konstantin Kokh, Artem Kuznetsov, Alain Maillard, Regine Maillard	TITE 96
SrTiO <sub>3</sub> -TiO <sub>2</sub> EUTECTIC AS AN ATTRACTIVE MATERIAL FOR SOLAR-DRIVEN WATER SPLITTING <u>Konrad Wysmułek</u> , Jarosław Sar, Katarzyna Kołodziejak, Paweł Osewski, Krzysztof Orliński, Radecka, Dorota Anna Pawlak	Marta <b>97</b>
SESSION-16 CHARACTERIZATION on OCTOBER 21, 2016 (Friday)	99
CRYSTAL AND MAGNETIC STRUCTURES IN CEMENT <u>Bartłomiej Andrzejewski</u> , Agnieszka Ślosarczyk	100
CZOCHRALSKI GROWTH AND SPECTROSCOPIC CHARACTERIZATION OF Gd <sub>3</sub> Ga <sub>2.5</sub> Al <sub>2.5</sub> C CRYSTALS DOPED WITH Tm AND CO-DOPED WITH Tm AND Ho IONS <u>Jarosław Komar</u> , Witold Ryba-Romanowski, Michał Głowacki, Marek Berkowski, Piotr Solarz	) <sub>12</sub> 101
DENDRITIC STRUCTURE AND DEFECTS OF SINGLE-CRYSTAL TURBINE BLADES <u>Anna Tondos</u> , Włodziemierz Bogdanowicz, Jacek Krawczyk, Jan Sieniawski	102

POSTER SESSION on OCTOBER 17, 2016 (Monday)	103	
CRYSTAL ORIENTATION AND SUBGRAIN BOUNDARIES OF SINGLE CRYSTAL BL AIRFOILS OF AIRCRAFT ENGINE.	ADE	
Włodzimierz Bogdanowicz, Jacek Krawczyk, Jan Sieniawski	104 (P01)	
LITHIUM DIHYDROGEN PHOSPHATE CRYSTAL GROWTH FROM NONSTOICHION SOLUTIONS	IETRIC	
<u>Anton Iurchenko</u> , Alexei Voronov, Galina Babenko	105 (P02)	
SELF-ORGANIZED TIO <sub>2</sub> -WO <sub>3</sub> EUTECTIC COMPOSITE AS A PHOTOANODE FOR PHOTOELECTROCHEMICAL WATER SPLITTING.		
<u>Katarzyna Kołodziejak</u> , Jarosław Sar, Konrad Wysmułek, Paweł Osewski, Mario Barts Niederberger, Dorota Pawlak	sch, Markus 106 (P03)	
SYNTHESIS OF NEW ORTHOBORATES KBaR(BO <sub>3</sub> ) <sub>2</sub> (R - Pr, Nd) <u>Nadezhda Kononova</u> , Alexander Kokh, Vyacheslav Shevchenko, Asset Bolatov, Bolat Mukhambetkali Burkitbayev	Uralbekov, <b>107 (P04)</b>	
ZnGeP <sub>2</sub> SYNTHESIS AND GROWTH	400 (D05)	
Pawel Kozłowski	108 (P05)	
GROWTH AND REAL STRUCTURE OF THIN-WALLED AREAS OF SINGLE-CRYSTA CORED TURBINE BLADES	ALLINE	
Jacek Krawczyk, Włodzimierz Bogdanowicz, Anna Tondos	109 (P06)	
SYNTHESIS AND THERMOELECTRIC PROPERTIES OF (Pb,Sn)Te ALLOYS		
Aleksandra Królicka, Aleksandra Mirowska, Mirosław Piersa, Andrzej Materna, Monika	a Michalska 110 (P07)	
NOVEL METHOD OF MANUFACTURING STRUCTURES WITH TOPOLOGICAL INSULATORS <u>Marta Kurowska</u> , Marcin Gajc, Krzysztof Orliński, Andrzej Materna, Agnieszka Wołoś, Maria Kamińska, Dorota A. Pawlak <b>111 (P08)</b>		
BiTeCI - TOPOLOGICAL INSULATORS WITH STRONG ASYMMETRIC INVERSION <u>A. Materna</u> , M. Piersa, M. Romaniec, R. Diduszko, A. Mirowska, A. Królicka	112 (P09)	

## SELF-ORGANIZED TIO $_2\text{-}WO_3$ EUTECTIC COMPOSITE AS A PHOTOANODE FOR PHOTOELECTROCHEMICAL WATER SPLITTING.

<u>Katarzyna Kołodziejak</u><sup>1</sup>, Jarosław Sar<sup>1</sup>, Konrad Wysmułek<sup>1</sup>, Paweł Osewski<sup>1</sup>, Mario Bartsch<sup>2</sup>, Markus Niederberger<sup>2</sup>, Dorota Pawlak<sup>1</sup>

<sup>1</sup> Department of Functional Materials, Institute of Electronic Materials Technology, Poland <sup>2</sup> Department of Materials, ETH Zurich, Switzerland

## SYNTHESIS OF NEW ORTHOBORATES $KBaR(BO_3)_2$ (R - Pr, Nd)

<u>Nadezhda Kononova</u><sup>1</sup>, Alexander Kokh<sup>1</sup>, Vyacheslav Shevchenko<sup>1</sup>, Asset Bolatov <sup>2</sup>, Bolat Uralbekov<sup>2</sup>, Mukhambetkali Burkitbayev<sup>2</sup>

> <sup>1</sup> Laboratory of Crystal Growth, Institute of geology and mineralogy, Russian Federation <sup>2</sup> AI-Farabi Kazakh National University, Kazakhstan

Eutectic materials are two or multiphase materials formed during cooling of a mixable melt with an eutectic composition. The possibility of considering versatile combinations of various component materials in eutectics provides a broad palette for many applications. Eutectics obtained by the self-organization mechanism also seem to be very attractive as energy-generating materials. They have potential as photoactive materials, due to their multiphase character – various available photoactive component phases and multiple band gap energies and high crystallinity.

 $\text{TiO}_2\text{-WO}_3$  eutectic is a new composite material, obtained by the micro-pulling-down method. Such mixed materials made of two semiconducting phases with bandgaps enabling absorption of UV-Vis wavelengths (TiO<sub>2</sub> – UV light, WO<sub>3</sub> – VIS light) may be promising for photoelectrochemical applications – especially as materials for PEC photoanodes.

The growth and characterization of the eutectic microstructure from a  $\text{TiO}_2\text{-WO}_3$  system, will be presented. together with the preliminary results of the photoelectrochemical measurements performed on fabricated  $\text{TiO}_2\text{-WO}_3$  photoanodes.

Acknowledgements: The research has been supported by a grant from Switzerland through the Swiss Contribution to the enlarged European Union with the Project PSPB 132/2010 "Hybrid semiconducting materials for solar energy conversion" and HARMONIA Project UMO-2013/10/M/ST5/00650 "Eutectics and metamaterials at a crossroads".

Orthoborates KBaR(BO<sub>3</sub>)<sub>2</sub>, R – rare-earth elements are of interest as new luminescent materials (undoped and doped). Orthoborates of this type were synthesized and studied almost for all rare earth elements except for La, Pr and Nd [1, 2, 3, 4]. All obtained compounds have trigonal symmetry with space group R-3m. Orthoborates KBaPr(BO<sub>3</sub>)<sub>2</sub> and KBaNd(BO<sub>3</sub>)<sub>2</sub> were synthesized without any impurity phases in narrow temperature ranges: 850-900 °C, and 850-950 °C respectively. Both orthoborates are isostructural and crystallize in the space group R-3m with lattice parameters a = 5.5052(12) %u0139, c = 18.402(8) %u0139 and a = 5.4956(5) %u0139, c =18.278(3) %u0139. IR spectra also confirm that KBaPr(BO<sub>3</sub>)<sub>2</sub> and KBaNd(BO<sub>3</sub>)<sub>2</sub> are isostructural and that they belong to the family of orthoborates KBaR(BO<sub>3</sub>)<sub>2</sub>. According to the DTA results KBaPr(BO<sub>3</sub>)<sub>2</sub> and KBaNd(BO<sub>3</sub>)<sub>2</sub> melt incongruently: T<sub>m</sub> = 910 °C and T<sub>m</sub> = 1026 °C, respectively.

- [1] J. Gao, L. Song, X. Hu, D. Zhang, SolidState Sci. 13 (2011) 115.
- [2] A.K. Bolatov, A.E. Kokh, N.G Kononova et al., ISMANAM (2015) Paris, France, July 13-17, Book of Abstracts p. 220.
- [3] A.E. Kokh, N.G Kononova, A.K. Bolatov et al., XVII All-Russian meeting of Experimental Mineralogy (2015) Novosibirsk, Russia, September 6-9, Book of Theses p. 63 (in Russian).
- [4] S.J. Camardello, J.H. Her, P.J. Toscano, A.M. Srivastava, Optical Materials 49 (2015) 297.