

FOUNDED IN 2011

Journal of Behavioral Addictions



Editor-in-Chief:
Zsolt Demetrovics



Eötvös Loránd University
Institute of Psychology



WWW.AKADEMAI.COM

Journal of Behavioral Addictions

Editor-in-Chief

ZSOLT DEMETROVICS (Eötvös Loránd University, Hungary)

Associate Editors

Stephanie Antons (Universität Duisburg-Essen, Germany); Joël Billieux (University of Luxembourg, Luxembourg);
Beáta Bóthe (University of Montreal, Canada); Matthias Brand (University of Duisburg-Essen, Germany);
Ruth J. van Holst (Amsterdam UMC, The Netherlands); Daniel King (Flinders University, Australia);
Gyöngyi Kökönyei (ELTE Eötvös Loránd University, Hungary);
Ludwig Kraus (Institute for Therapy Research, Germany);
Marc N. Potenza (Yale University, USA); Hans-Jürgen Rumpf (University of Lübeck, Germany);
Attila Szabó (Eötvös Loránd University, Hungary)

Editorial Board

Max W. Abbott (Auckland University of Technology, New Zealand); Elias N. Aboujaoude (Stanford University School of Medicine, USA); Hojjat Adeli (Ohio State University, USA); Judit Balázs (Eötvös Loránd University, Hungary); Alex Baldacchino (University of Dundee, United Kingdom); Alex Blaszczynski (University of Sidney, Australia); Kenneth Blum (University of Florida, USA); Henrietta Bowden-Jones (Imperial College, United Kingdom); Gerhard Bühringer (Technische Universität Dresden, Germany); Wim van den Brink (University of Amsterdam, The Netherlands); Sam-Wook Choi (Eulji University, Republic Of Korea); Damiaan Denys (University Of Amsterdam, The Netherlands); Jeffrey L. Derevensky (McGill University, Canada); Naomi Fineberg (University of Hertfordshire, United Kingdom); Marie Grall-Bronnec (University Hospital of Nantes, France); Jon E. Grant (University of Minnesota, USA); Mark Griffiths (Nottingham Trent University, United Kingdom); Anneke Goudriaan (University of Amsterdam, The Netherlands); Heather Hausenblas (Jacksonville University, USA); Tobias Hayer (University of Bremen, Germany); Susumu Higuchi (National Hospital Organization Kurihama Medical and Addiction Center, Japan); David Hodgins (University of Calgary, Canada); Eric Hollander (Albert Einstein College of Medicine, USA); Jaeseung Jeong (Korea Advanced Institute of Science and Technology, Republic of Korea); Yasser Khazaal (Geneva University Hospital, Switzerland); Orsolya Király (Eötvös Loránd University, Hungary); Emmanuel Kuntsche (Addiction Info Switzerland, Switzerland); Hae Kook Lee (The Catholic University of Korea, Republic of Korea); Michel Lejoyeux (Paris University, France); Anikó Maráz (Humboldt-Universität zu Berlin, Germany); Giovanni Martinotti ('Gabriele d'Annunzio' University of Chieti-Pescara, Italy); Frederick Gerard Moeller (University of Texas, USA); Astrid Müller (Hannover Medical School, Germany); Daniel Thor Olason (University of Iceland, Iceland); Nancy Petry (University of Connecticut, USA); Bettina Píró (University of Szeged, Hungary); Afarin Rahimi-Movaghar (Teheran University of Medical Sciences, Iran); József Rácz (Hungarian Academy of Sciences, Hungary); Rory C. Reid (University of California Los Angeles, USA); Marcantano M. Spada (London South Bank University, United Kingdom); Daniel Spritzer (Study Group on Technological Addictions, Brazil); Dan J. Stein (University of Cape Town, South Africa); Sherry H. Stewart (Dalhousie University, Canada); Attila Szabó (Eötvös Loránd University, Hungary); Ferenc Türy (Semmelweis University, Hungary); Alfred Uhl (Austrian Federal Health Institute, Austria); Róbert Urbán (Eötvös Loránd University, Hungary); Johan Vanderlinden (University Psychiatric Center K.U. Leuven, Belgium); Alexander E. Voiskounsky (Moscow State University, Russia); Aviv M. Weinstein (Ariel University, Israel); Kimberly Young (Center for Internet Addiction, USA)

Editorial Assistant

Csilla Ágoston-Kostyál (Eötvös Loránd University, Hungary)



AKADÉMIAI KIADÓ

MEMBER OF WOLTERS KLUWER GROUP

P-179

Level of anxiety in patients with synthetic dependence in departments of dependence therapies

NAZYM ABIKEYEVA¹, MYRZABEK KAMCHYBEKUULU²,
ZHUPARKUL BEISSENOVA³, SVETA BERDIBAYEVA¹, MAIRA KABAKOVA¹,
ZAURET KABYLBEKOVA⁴

¹Al-Farabi Kazakh National University, Kazakhstan

²Jusup Balasagyn Kyrgyz National University, Republic of Kyrgyz

³Caspian University

⁴M. Auezov South Kazakhstan University

E-mail: pobedovna_70@mail.ru

In our modern society, more and more new types of drugs have begun to appear, synthesized by ordinary people. Due to their relative cheapness and ease of purchase, they are extremely popular among young people. And as we know, the use of synthetic drugs destroys health, both physiological and psychological. Paranoid and anxiety disorders can often be observed at all stages of the course of drug dependence or combined with them. The relationship of addiction to depression and anxiety is a frequent subject of discussion in the psychological community. Especially at the initial stages of treatment in various compulsory hospitals or rehabilitation centers. The purpose of the study is to study the level and characteristics of anxiety in groups of people dependent on synthetic drugs in a narcological hospital.

Methods: Ch.D. Spielberger to identify personal and situational anxiety; Hospital Anxiety and Depression Scale. The study involved people aged 25 to 40 who use synthetic drugs. The sample consisted of 40 subjects. As a result of the study, it was possible to draw the following conclusions: many study participants were found to have high levels of situational anxiety; in comparison with situational anxiety, the level of personal anxiety varied within the normal range. And as a result of the "Hospital Anxiety and Depression Scale", the majority of 57% of the subjects showed signs of a high probability of anxiety and depression levels. Such factors pose an important task of conducting psycho-correctional programs.

Keywords: synthetic drugs, anxiety, narcological hospital