

Al-Farabi Kazakh National University Faculty Medicine and
Health Care Education program on specialty: Pharmacy

**PROGRAM OF THE FINAL EXAM IN DISCIPLINE
OF COURSE “EPIDEMIOLOGY FOR PHARMACY”**

6 credits

Author:

FA. Iskakova, MD, PhD

TMC OF COURSE IS CONFIRMED

On Academic Council of Medicine and Public Care Faculty

Protocol N, .

Reviewed and recommended at the meeting of
Epidemiology, Biostatistics and Evidence-Based Medicine
Department from « », *Protocol N*

Recommended by the faculty methodical bureau

« », *Protocol N*

Almaty, 2021

PROGRAM
OF THE FINAL EXAM ON COURSE
“EPIDEMIOLOGY FOR PHARMACY”
6 credits

Study topics for the exam: The final exam will be in writing form. The thematic content covers all types of work: topics of lectures and seminars, as well as assignments for independent work of master's students.

Outcome of learning:

It is necessary for masters to repeat the main theoretical content of the course, terminology and methods in preparation for the exam.

Based on the results of studying the course, the master's student should be able to:

1. Modern theories of epidemiology give a description; epidemiological research and classification of basic methods.

2. Modern epidemiological approaches and using national and international level of health care description of topical issues.

3. Medical and biomedical

Analysis of modern methods of statistical analysis and computer in research Independent use of statistical programs.

4. In the field of public health planning of epidemiological researches.

5. Diagnostic, etiological, prognostic nature of public health and conduct epidemiological studies in accordance with therapeutic issues.

6. Interpretation and presentation of research results, health substantiated scientific publications in the field critical using medical databases assessment from the point of view.

List of examination items for a preparation to exam

Module I. Bases and concepts of Epidemiology

Class 1. Introduction to Epidemiology. Definition of Epidemiology. History of Epidemiological methods and concepts. Core Epidemiologic Functions. Causal thinking. Core The Epidemiologic Approach.

Content. Epidemiology is the study of frequency and determinants related with diseases that are distributed in specific group of population. In recent years epidemiology has become an increasingly important approach in both public health and clinical practice. Epidemiology is the basic science of disease prevention and plays major roles in the development and evaluation of public policy as well as in social and legal arenas.

Epidemiology studies using of epidemiologic studies in Medicine. So Epidemiology and

Clinical Epidemiology have close relationship for solving problem of People's health.

Quantitative and Qualified Epidemiology.

Class. 2. Concepts of Disease Occurrence. Natural History and Spectrum of Disease. Chain of Infection. Epidemic Disease Occurrence.

Content. A critical premise of epidemiology is that disease and other health events do not occur randomly in a population. A number of models of disease causation have been proposed. The traditional model for infectious disease consists of an external **agent**, a susceptible **host**, and an **environment** that brings the host and agent together. In this model, disease results from the interaction between the agent and the susceptible host in an environment that supports transmission of the agent from a source to that host.

Class 3. Quantitative and Qualified Epidemiology. Measures of risk. Frequency Measures. Morbidity and Mortality Frequency Measures. Natality (Birth) Measures. Measures of Association. Measures of Public Health Impact.

Content. Quantitative and qualitative research use different research methods to collect and analyze data, and they allow you to answer different kinds of research questions. For quantitative data it used statistical analysis methods to test, relationships between variables; and for qualitative data it used methods such as thematic analysis to interpret patterns and meanings in the data. Qualitative vs. quantitative research. A descriptive research design use a wide variety of quantitative and qualitative methods to investigate one or more variables. The researcher observes and measures variables related with disease and outcomes of them.

Class 4. Epidemiological Investigation. Investigating an Outbreak.

Content. Outbreaks of disease is the occurrence of more cases than expected or occur frequently. Each day, health departments learn about cases or outbreaks that require investigation. One way is to analyze surveillance data is reports of cases of communicable diseases that are routinely sent by laboratories and healthcare providers to health departments. Investigation indicated that the increase in gastroenteritis was probably attributable to the consumption of meat that had spoiled during the power failure. Steps of outbreak investigations are Prepare for field work, Establish the existence of an outbreak, Verify the diagnosis, Construct a working case definition, Find cases systematically and record information, Perform descriptive epidemiology, Develop hypotheses, Evaluate hypotheses epidemiologically, As necessary, reconsider, refine, and re-evaluate hypotheses, Compare and reconcile with laboratory and/or environmental studies, Implement control and prevention measures, Initiate or maintain surveillance, Communicate findings. Class 5. Public Health Surveillance.

Content. The health department is responsible for protecting the public's health using program named Public Health Surveillance which have function of survey and control over population health. Objectives of PHS are Identifying Health Problems for Surveillance, and Collecting Data for Surveillance, Analyzing and Interpreting Data, Disseminating Data and Interpretations, Evaluating and Improving Surveillance, Summary, References.

Module II. Methodological approaches in Epidemiology

Class 6. Concepts and Design of Epidemiological Studies. Descriptive studies: case reports, case series, ecological and cross-sectional..

Content. Epidemiologic studies divide to observational and interventional. Observational studies can be descriptive and analytical. Descriptive studies identify patterns among cases and in populations by time, place and person. From these observations, epidemiologists develop hypotheses about the causes of these patterns and about the factors that increase

risk of disease Descriptive research answer what, when, where, when and how questions, but not why and how questions. Hypothesis is formed on base of descriptive study. In other words, epidemiologists can use descriptive epidemiology to generate hypotheses.

Class 7. Design of Epidemiological Studies. Descriptive studies. Descriptive studies: case reports, case series, ecological and cross-sectional.: strength and limitations. Content. Descriptive studies: ecological and cross-sectional studies. Estimation of advantages and disadvantages. Using in Medicine. Measurement of associations. An ecological study design is used to monitor population health, make large- scale comparisons, to study the relationship between population-level exposure to risk factors and disease, or in order to look at the contextual effect of risk factors on the population. In a cross-sectional study, the investigator measures the outcome and the exposures in the study participants at the same time on the inclusion and exclusion criteria set for the study. The investigator follows the study to assess the exposure and the outcomes.

Class 8. Analytic studies are then undertaken to test specific hypotheses. Samples of subjects are identified and information about exposure status and outcome is collected.

The essence of an analytic study is that groups of subjects are compared in order to estimate the magnitude of association between exposures and outcomes. Case-control study. Class 7. Analytical studies. Cohort study: strength and limitations, measure association, using in Medicine. Practical work: analysis of case- control study using scientific articles from websites as an example. Evaluation and measurement of the occurrence of diseases. Measurement of expose in studies: RR, OR, AR, AR%, PAR, PAR%. Practical work using scientific articles from websites as an example.

Content. Analytic studies are then undertaken to test specific hypotheses. Samples of subjects are identified and information about exposure status and outcome is collected. The essence of an analytic study is that groups of subjects are compared in order to estimate the magnitude of association between exposures and outcomes. Cohort study.

Class 8. Analytical studies. Case-control study: strength and limitations, using in Medicine. Measures of association or measures of excess risk. OR, RR, AR, AR%, PAR, PAR%. Content. Cohort study is the main analytical study that focuses of exposition of risk factors. They were open and closed, retrospective and prospective. Evaluation and measurement of the occurrence of diseases. Measurement of expose in studies using RR, OR, AR, AR%, PAR, PAR%. Practical work using scientific articles from websites as an example. Summary measures of population health are measures that combine information on mortality and non-fatal health outcomes to represent the health of a particular population as a single number. A wide array of summary measures have been proposed (for example, active life expectancy, disability-free life expectancy, dementia-free life expectancy, disabilityadjusted life expectancy, health-adjusted life expectancy, healthy life-years, Years of Healthy Life, disability-adjusted life years, etc.). On the basis of a simple survivorship curve, these measures can be divided broadly into two families: health expectancies and health gaps.

Class 9. Experimental studies. Randomized controlled trial and non-randomized trial. Stratified, crossover, factorial design and group randomization. Design of clinical trials (phases, safety and effectiveness of drugs).

Content. Experimental studies are studies in which the investigator artificially manipulates study factors or subjects, such as therapeutic regimen, or some other parameter. An experimental study is the preferred means of hypothesis testing in most laboratory settings, and relevant methods are subject to continuing improvements. Types of experimental

studies are randomized and non-randomized trials.

Class 10. Bias and confounding factors in studies. Overview of epidemiological studies. Practical work using scientific articles from websites as an example.

Content. Bias may be defined as any systematic error in an epidemiological study that results in an incorrect estimate of the true effect of an exposure on the outcome of interest. Bias results from systematic errors in the research methodology. More than 50 types of bias have been identified in epidemiological studies, but for simplicity they can be broadly grouped into two categories: information bias and selection bias. Confounding provides an alternative explanation for an association between an exposure (X) and an outcome. It occurs when an observed association is in fact distorted because the exposure is also correlated with another risk factor (Y). This risk factor Y is also associated with the outcome, but independently of the exposure under investigation, X. As a consequence, the estimated association is not that same as the true effect of exposure X on the outcome.

Module III. Module III. Types of Epidemiology Class

11. Diagnostic and screening tests. Sensitivity and specificity of tests.

Content. A diagnostic test is used to determine the presence or absence of a disease when a subject shows signs or symptoms of the disease. A screening test identifies asymptomatic individuals who may have the disease. The diagnostic test is performed after a positive screening test to establish a definitive diagnosis.

The probability of having the disease, given the results of a test, is called the predictive value of the test. Positive predictive value is the probability that a patient with a positive (abnormal) test result actually has the disease. Negative predictive value is the probability that a person with a negative (normal) test result is truly free of disease.

Sensitivity is the ability of the test to identify correctly those who have the disease. Specificity is the ability of the test to identify correctly those who do not have the disease. Class 12. Statistical methods in Epidemiology. Meta-Analysis. Practical work using scientific articles from websites as an example.

Content. Statistical methods and techniques used in Epidemiology. Epidemiologic studies are determined by the study design and data type. Principles of Data Analysis, Statistical Thinking, Multivariate Analysis, Handling of Data Problems, Meta-Analysis.

Class 13. DEPTH model in Medicine. Implementation of epidemiologic studies in Medicine. Practical work using scientific articles from websites as an example. Content. DEPTH model in Medicine. There are diagnostic, etiologic, prognostic and therapeutic researches for solving problem of Clinical Medicine.

Class 14. Exposure-Oriented Epidemiology: Occupational, Environmental, Nutritional, Radiation, Physical Activity Epidemiology.

Content. Epidemiology has been defined as the study of the effects of workplace exposures on the frequency and distribution of diseases and injuries in the population. Thus it is an exposure-oriented discipline versus of outcome-oriented Epidemiology as Epidemiology of Infectious diseases, cardio-vascular diseases etc. Types of Exposure-Oriented Epidemiology are Occupational, Environmental, Nutritional, Radiation, Physical Activity Epidemiology. Class 15. Outcome-Oriented Epidemiology: Infectious Disease Epidemiology, Cardiovascular Disease and Health, Cancer Epidemiology, Epidemiology of Diabetes, Epidemiology of Psychiatric Disorders.

Content. Outcome-Oriented Epidemiology as Infectious Disease Epidemiology, Cardiovascular Disease and Health, Cancer Epidemiology, Epidemiology of Diabetes,

Epidemiology of Psychiatric Disorders based of results of outcomes related with exposure determinants (reasons and risk factors). They are the major cause of burden:morbidity, mortality and disorders.

Typology and approximate content of examination tests:

WRITTEN – case study LMS Moodle. The exam format is online.

1. At the time set by the teacher, undergraduates are authorized in the Moodle LMS and get access to the task "Final exam in the discipline".
2. Explore the instructor's case study topics.
3. Perform the task within 3 hours
4. Load the completed work on the case study into the LMS Moodle, for this:
 - 4.1 students log into the Moodle LMS,
 - 4.2 open the element "Final exam in the discipline",
 - 4.3 select the item "Add answer to the task",
 - 4.4 upload their works in the file upload field,
 - 4.5 click "Save".

Duration: 3 hours, 1 attempt.

The form of the final control (exam): WRITTEN- CASE STUDY

The form holding the final control (exam) *.	Use weary platform	For whom recommended	Availability proctoring, video recordings, check for plagiarism.	Tickets/questions automatic generation	Check Works
WRITTEN: 1 Case study	LMS Moodle	For masters' students	Proctoring now. Video recording at Individual work - not required. Mandatory check For plagiarism in the works of students. Provided automatic checking work for plagiarism with using 2 services: Antiplagiarism (mandatory) and StrikePlagiarism (if necessary). One check of teaching staff for 1 job. Using antiplagiarism systems PTS can provide possibility of verification work for a student - 1 attempt (configured in	No	1. Teacher disciplines gets ready files/ responses in LMS Moodle. 2. Evaluates work, conducts check for availability plagiarism. 3.Exhibits points in the LMS Moodle. 5. Transfers points in statements IS Univer.

			the system by the teacher).		
--	--	--	-----------------------------	--	--

Grading

Traditional Grades	Scores	Requirements
Excellent	90-100	The work was done independently and at a high scientific and methodological level. The text of the answer shows that the student is able to evaluate and process learned scientific methods and methods of activity, and is also able to offer concepts, models and use new methods and tools of professional activity. The paper presents an independent vision of the problem and the corresponding argumentation. The work was done neatly, the student has professional terminology and writing skills for scientific papers.
Good	75-89	The work as a whole was well written, but the author did not disclose or did not fully cover certain issues of the topic. The author's vision of the problem and argumentation is not presented in the work. The paper made some inaccuracies, but they do not relate to the main content of the work. The answer reveals knowledge and understanding of the material by no less than 75%.
Satisfied	50-74	The task as a whole has been completed, but the author has not demonstrated the skills of analyzing the problem, individual issues of the topic have not been disclosed or missing. The author's vision of the problem is not presented in the work. The author does not have sufficient knowledge of the methodology of scientific research. In the answer there were inaccuracies related to the main content of the question.
Unsatisfied	0-49	The task is not completed, or completed less than 50%, The task is not completed correctly.

Required and Recommended Reading

Required reading:

1. Aschengrau A., Essentials of Epidemiology in Public Health, 3rd Edition, 2008

Recommended reading:

1. Gordis: Epidemiology, 5th Edition, Saunders 2013
2. Rothman K., Modern Epidemiology, 3rd Edition, 2008
3. Pickles A. Epidemiological Methods in Life Course Research, 1st Edition, 2007
4. Webb P and Bain C. Essential Epidemiology: An introduction for Students and Health Professionals. Second Edition. Cambridge University Press. 2011.
5. Wolfgang, A. Handbook of Epidemiology. Vol.1//Ahrens Wolfgang, Peugeot Iris. - 2 ed.- Springer Reference, 2014.- 469 p.
6. Principles and methods of Epidemiology. 3-d Edition. R. Dicker Ooffice of epidemiologic program CDC, USAID. -2012.-457 P.

7. Principles of Epidemiology in Public Health Practice. Third Edition. An introduction to Epidemiology and Biostatics.US, CDC, Atlanta. -2012.-6-75 p.
8. Hennekens, C., & Buring, J. (1987). Epidemiology in Medicine, Boston/Toronto: Little, Brown and Company.
9. Kelsey, J., Whittemore, A., Evans, A. & Thompson, D. (1996). Methods in Observational Epidemiology, Second Edition, New York: Oxford University Press.
10. www.who.org
11. www.cdc.gov
12. www.medline
13. www.cockraine.library
14. www.PubMed