

Al-Farabi Kazakh National University
Institute of Computational Technologies of SB RAS
National Engineering Academy of the Republic of Kazakhstan
High Performance Computing Centre in Stuttgart
University of Pristina in Kosovska Mitrovica
Abu Dhabi University
Novosibirsk National Research State University
Novosibirsk State Technical University
Siberian State University of Telecommunications and Information Sciences
Institute of Information and Computational Technologies



## TE3ICTEP ABSTRACTS

Халықаралық конференция "Ғылымдағы, техникадағы және білім берудегі есептеулер мен ақпараттар технологиясы"

CITech2015

International Conference "Computational and Informational

Technologies in Science, Engineering and Education"

Software

24-27 қыркүйек 2015 Алматы, Қазақстан September 24-27 2015 Almaty, Kazakhstan Al-Farabi Kazakh National University
Institute of Computational Technologies of SB RAS
National Engineering Academy of the Republic of Kazakhstan
High Performance Computing Centre in Stuttgart
University of Pristina in Kosovska Mitrovica
Abu Dhabi University
Novosibirsk National Research State University
Novosibirsk State Technical University
Siberian State University of Telecommunications and Information Sciences
Institute of Information and Computational Technologies

# ABSTRACTS

International Conference
"Computational and Informational Technologies in Science, Engineering and Education"

#### EDITORIAL BOARD

Editor-in-Chief: G.M. Mutanov

Yu.I. Shokin, B.T. Zhumagulov, T.S. Ramazanov, M.A. Bektemesov, M.N. Kalimoldaev, A.M. Fedotov, G.S. Khakimzyanov, D.Zh. Ahmed-Zaki, A.B. Kydyrbekuly, D.V. Esipov, G.M. Dairbayeva, E.I. Imangaliev

Abstracts of the International Conference "Computational and Informational Technologies in Science, Engineering and Education" (September 24-27, 2015). – Almaty: Қазақ университеті, 2015. – 296 р. ISBN 978-601-04-1389-4

The book contains abstracts of the participants of the International Conference "Computational and Informational Technologies in Science, Engineering and Education". The proceeding of the Conference will be beneficial for specialists in the field of Mathematics and its applications, as well as for students, undergraduates, doctoral students majoring Computational and Informational Technologies.

International Scientification Technologies in Scientification and has been

Historically, the confe and Kazakh scientists a achievements in the fiel

Later it expanded the leading scientists from

The purpose of the c advances among the pa young scientists and a interaction of the leadi the CITech formed a w currently conducting se

In different years Cl<sup>c</sup> (2006) and Ust-Kamen the Novosibirsk Scient Yu., Monakhov N., Zhrole in the formation of Unfortunately, some of their contribution to so our hearts.

The proceeding of the Mathematics and its apstudents majoring Con

ISBN 978-601-04-1389-4

©al-Farabi KazNU, 2015

entation of Mood	
	238
T. Orumbaeva,	
in the process of	
	239
	240
ev, Combination	al
logy	241
Makashev., A.Zh	
sectoral frame of	
"	243
снология создани	я
юэтических	
	243
ов, ML-Studio -	
медиа лекций	245
D intersection	
IATION AND	
	247
nic monitoring o	n
	248
sina, An approac	h
action problems	
l modeling and	
	250
s in multi-agent	-
	251
, Level crossing	201
ence of Rician	
once of median	252
lucio of a Dime-t	
lysis of a Direct	
rt Applications	
/ Bathatur	
v, Z. Baibatyr, Vehicle License	

	295
M.N. Kalimoldayev, T.U. Islamgozhayev, A.K. Zholmyrzayev, Sh.S.	
Mazhitov, Design and development of mobile remote controlled robotic	
platform	254
P. Kisala, W. Wojcik, G. Kashaganova, A. Kalizhanova, N. Kussambayeva	١,
G. Yussupova, Analysis of the possibilities for using a uniform Bragg	
gratingin a tunable dispersion compensator	255
M. Lutovac, P. Spalevic, N. Arsic, Raspberry Pi, Mathematica, and	
electrical engineering education	257
Y. Molorodov, A. Zelenchuk, The conception and architecture of the	
Internet portal for the study of thermophysical properties of materials	258
N.R. Musabekov, D.T. Kasymova, A.K. Muslimova, A.O. Utegenova,	
I.T. Utepbergenov, Integrated Approach for Implementing the Virtual	
Information Infrastructure of the automated process control system	259
Mustafin S., Zeinullina A., Mussina Zh.	260
N. Nagul, Discrete-event systems with state observation properties studying	7260
K.A. Ozhikenov, R.M. Utebaev, R.S. Ismagulova, A.K. Ozhiken, G.D.	
Aitzhanova, Automation of data geodynamic monitoring on an oil and gas	
field	261
G.N. Pachshenko, Algorithm for construction of the intellectual control	
system of the object with inexact parameters and delay on the basis of	
artificial neural networks	262
V. Petrovic, A. Grujic, Application of programmable logic controllers for	
efficient use of photovoltaic panels	263
A.G. Poleshchuk, R. Shimansky, Diffractive optical elements for a quality	
checking of the aspherical mirrors of large telescopes	263
D. Rakhimova, M. Abakan, The problem of Word sense disambiguation in	
Machine Translation system of Russian-to-Kazakh languages	264
O.I. Shiryayeva, T.G. Denisova, Investigation of artificially immune system	ı
with using of fuzzy logic	266
С.Н. Астраков, Е.Н. Амиргалиев, Задачи покрытий и упаковок в	
некоторых приложениях	267
Д.В. Волков, А.М. Епихин, Архитектура программного комплекса	
интеллектуального облачного сервиса мониторинга состояния и	
управления для удаленных распределенных объектов	267

nation and Electromeosibirsk, Russia, email: f Automation and Elecyosibirsk, Russia, email:

e aspherical mirrors

plication of diffractive one side of which has ht wavelength (0.4-0.7 a technology of their at form with the given lications.

of modern telescopes ve structure not more make up several hune DOE which uses the sed at the Institute of ir laser recording sysming which is optimal cement of a recording th arbitrary pattern.

39-m mirror will be in 2018). An optical cking of prototypes of te of Automation and nt with the budget of stitute developed and ity of Arizona (USA) telescopes (6.4-m mirneter each) and a new (JWST) with a 6.6 m in 2018.

d error compensation r recording system. A erposition of the start optical preform during ce DOE for testing of ▶ D. Rakhimova - AL-Farabi Kazakh National University, Almaty, Kazakhstan, email:di.diva@mail.ru, M. Abakan - AL-Farabi Kazakh National University, Almaty, Kazakhstan, email: mayerabak@gmail.com

 $The\ problem\ of\ Word\ sense\ disambiguation\ in\ Machine\ Translation\ system\\ of\ Russian-to-Kazakh\ languages$ 

Today the problem of the lexical and syntactic ambiguity resolution is a very important issue. We try to solve this problem in our work. So we chose the Rule Based method taking into account all grammatical, morphological, and lexical features of Russian and Kazakh language.

In this work, we offer the method based on Bag of Words (BoW) which solves lexical ambiguity of words [1]. BoW model is one of the ways of representing context vector (CV) for supervised learning technologies. In our model, the sentence represented as a set (multi-set) with its words, disregarding grammar and even word order. The task of lexical analyzer-generation of word and disambiguation in sentence (text) can be easily represented as a task multivalued mapping. Let X and Y - an arbitrary set. A multivalued mapping from the set X into Y is:  $F: X \to \Omega(Y)$ , where each input word  $x_i \in T$  of text T should be attributed to one of the output values of the classes  $m_j$ ,  $i \in M_i$ , where  $M_i$  - the set of meanings of the word  $x_i$ . F is a representation function of multivalued mappings [2]. Below is the segment tables of multivalued mappings (m -mappings) for ambiguous words (in this case homonyms)  $X^m \to Y^m$ , where  $X^m = \{a_k\}$ ,  $a_{k^-}$  initial form of ambiguous words that have the k-th value.  $Y^m$  - represented as a matrix consisting of elements CV, that are corresponding words in context for each  $a_k$  values.

(1) 
$$Y_{ij}^m = b_{ij}\mu_{ij} \Rightarrow Y_{ij}^m = \{(b_{1j}\mu_{1j}), (b_{2j}\mu_{2j}), (b_{3j}\mu_{3j})\}$$

where  $b_{1j}$  - elements of a particular group of CV, i=1,3 (where  $b_1$ - verb group,  $b_2$ -noun group,  $b_3$ - adjective group), and for each element is given by the ratio of preference (relativity)  $\mu_{ij}$  of given element in text, in the following range  $0 \le \mu_{ij} \le 1$ . If such  $b_{ij}$  words of was found, then in accordance with its relativity to one or another meaning  $a_k$  meanings was selected.

The proposed method of multivalued mappings and solving problems with multi-tasking words were applied to a simple sentence in the system of machine translation from Russian into Kazakh language and was implemented as a software application. The advantage of this method is using method of CV and multivalued mappings. In contrast to the other methods, the method of CV handles all components of the sentence, and not just standing around ambiguous words. Due to this, semantically more complete analysis of the text comes out. This method can be successfully applied in various systems of automatic text processing and semantic search for a variety of natural languages.

#### REFERENCES

 Jurafsky D., Martin J. M., Speech and Language Processing, second edition, Pearson Prentice Hall, New Jersey, 640-644 (2008). [2] Tukeyev U.A., Rakhimova D.R. et al., Development of morphological analysis and synthesis for machine translation from Russian into Kazakh using multivalued mapping tables, Computer processing of Turkic languages. First International Conference: Proceedings., Astana L.N.Gumilev ENU Publishing House, 182-191 (2013).

▶ O.I. Shiryayeva - KazNTU, email: oshiryayevar@gmail.com, T.G. Denisova - NCG, email: elkaz41@mail.ru

Investigation of artificially immune system with using of fuzzy logic

This article deals with the development of an optimal structure of the immune reaction model organism to medicine based on the methods of fuzzy logic system. At present, the immune system is considered by researchers as a source of ideas and methods for solving various tasks in the field of information processing and analysis, mathematical modeling and information security [1]. Currently, the number of works on the development and application of artificial immune systems is increasing rapidly. The first book about the artificial immune system was published in 1998, edited by Dipankar Dasgupta [1]. The immune system - is a structure in which the mechanisms implemented learning, memory, and associative search to solve the problems of recognition and classification. In particular, the immune system can be trained to recognize the important structures (antigenic peptides); memorizing already encountered the structure and use of the laws of combinatorics within gene libraries for efficient generation of detectors structures (variable regions of antibody molecules) interacting with external antigens and the body's own cells. In response to this antigen is not only at the level of individual recognition units but also at the system level through mutual recognition lymphocyte clones of antigen-antibody reactions. Thus, the behavior of the immune system is determined by the totality of the local network interactions. The immune system is of great interest due to its important role in maintaining the integrity of the organism. The properties of the immune system are a remarkable example of local adaptive processes that implement an effective global response. A number of simulation models that describe the reaction of the various components of the immune defense published [2]. Is expanding the scope of application of new methods for solving applied problems, based on the principles of immunology. These methods have various names: artificial immune systems, are based on the principle of immunity, immunological evaluation. In this article the adequate mathematical model of artificial immune system with using of fuzzy logic is investigated. The results of constructing an optimal structure [3] of the immune mathematical model to simulate different algorithms of special reactions formation to medications, depending on the strategies of infection are received.

### References

[1] Dasgupta D., Artificial Immune Systems and Their Application, Springer-Verlag 438 (1998).

- [2] Shiryayeva, O. I., Art 128 (2012).
- [3] Chakrabarty, S. P., Operameters Model, P (2005).

► С.Н. Астрако лительной техники С университет, Новосибир технологий, Алматы, Ка @gmail.com, Е.Н. Ам Аль-Фараби, Алматы, К

Задачи покры

В работе рассмотрен веден анализ взаимосвя ких задач находят свое контроля (сенсорные с риалов), в проектирова и др. Более того, благо большое количество ног части работы приведен основанных на выборе ражают структуру круг уровень сложности. Эт находить модели с наи крытия, наибольшей для множества моделей с от Во второй части работы таллов [4]. Предложены на поверхность в зависи поверхности. Созданы а выбирать наилучшие ти

- [1] Роджер, К. Упаковки и
- [2] Фейеш Тот, Л. *Располоз* Москва (1958).
- [3] Астраков С.Н., Ерзин А. тельные технологии, 18
- [4] Голосов Д.А., Мельнико пленочных слоев при ма обработка металлов, 48(1